

LX0-102^{Q&As}

CompTIA Linux+ [Powered by LPI] Exam 2

Pass CompTIA LX0-102 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/lx0-102.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following find commands will print out a list of suid root files in /usr?

- A. `find /usr -uid 0 -perm +4000`
- B. `find -user root +mode +s /usr`
- C. `find -type suid -username root -d /usr`
- D. `find /usr -ls *s* -u root`
- E. `find /usr -suid -perm +4000`

Correct Answer: A

QUESTION 2

Which of the following commands can deconfigure a network interface?

- A. `ipdown`
- B. `net`
- C. `ifconfig`
- D. `netdown`

Correct Answer: C

QUESTION 3

Which of the following commands should be added to /etc/bash_profile to change the language of messages from an internationalised program to Portuguese (pt)? (Select TWO).

- A. `export LANGUAGE="pt"`
- B. `export MESSAGE="pt"`
- C. `export LANG="pt"`
- D. `export LC_MESSAGES="pt"`
- E. `export ALL_MESSAGES="pt"`

Correct Answer: CD

QUESTION 4

An administrator needs to sync the hardware clock with their system clock. In order to accomplish this, complete the following command:

_____ -u --systohc

Correct Answer: Answer: hwclock, /usr/sbin/hwclock, /sbin/hwclock

QUESTION 5

What word is missing from the following SQL statement? select count(*) _____ tablename;

Correct Answer: Answer: FROM

QUESTION 6

Which of the following commands is used to deactivate a network interface?

- A. ifdown
- B. ipdown
- C. net
- D. netdown

Correct Answer: A

QUESTION 7

Which file contains a set of services and permitted hosts that will be allowed to connect to the server by going through a TCP Wrapper program such as tcpd? (Please enter the full path)

Correct Answer: Answer: /etc/hosts.allow

QUESTION 8

What command can be used to generate syslog entries of any facility and priority? (supply just the command name without a path).

Correct Answer: Answer: logger

QUESTION 9

A department decided to change the Gnome Display Manager's greeting. Which of the following configuration files should an administrator edit?

- A. /etc/gnome/greeting

- B. /opt/gnome/share/greeting
- C. /etc/X11/gmd.conf
- D. /etc/X11/gdm/Init/Default

Correct Answer: D

QUESTION 10

An administrator can run the _____ command to see active network and UNIX domain socket connections as well as other open files. (Please specify the command with no path information, options or parameters)

Correct Answer: Answer: lsof, /usr/bin/lsof

QUESTION 11

An ISP has given an executive an IP block for their use. The block is 192.168.112.64/27. If the network administrator uses the first usable IP for the router that is installed on the executive's network, how many usable IPs are left? (Please enter the number and not a word)

Correct Answer: Answer: 29

QUESTION 12

Which of the following configurations file does sudo read when determining if a user is permitted to run applications with root privileges?

- A. /etc/audit.conf
- B. /etc/shadow
- C. /etc/sudo.conf
- D. /etc/sudoers

Correct Answer: D

QUESTION 13

How is the file format of /etc/crontab different from a normal crontab file? (Select TWO).

- A. The /etc/crontab file can specify a year field.
- B. A normal crontab file must be installed with the crontab command.
- C. A normal crontab file allows for environment variable substitution.
- D. The /etc/crontab file has a user field for commands.

Correct Answer: BD

QUESTION 14

Which of the following statements is true regarding the below /etc/resolv.conf file? search example.com

```
127.0.0.1 208.77.188.166
```

- A. There is a syntax error.
- B. If DNS queries to the localhost fail, the server 208.77.188.166 will be queried.
- C. example.com will be appended to all host lookups.
- D. The DNS servers at 127.0.0.1 and 208.77.188.166 will be queried in a round robin fashion.
- E. The DNS server with the shortest ping time will be queried first. If the lookup fails, the second server will be queried.

Correct Answer: A

QUESTION 15

The system's timezone may be set by linking /etc/localtime to an appropriate file in which directory? (Provide the full path to the directory, without any country information).

Correct Answer: Answer: /usr/share/zoneinfo, /usr/share/zoneinfo/

[LX0-102 VCE Dumps](#)

[LX0-102 Study Guide](#)

[LX0-102 Exam Questions](#)