

LX0-104^{Q&As}

CompTIA Linux+ [Powered by LPI] 2

Pass CompTIA LX0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.certbus.com/lx0-104.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1
Which of the following files, when existing, affect the behavior of the Bash shell? (Choose TWO correct answers.)
A. ~/.bashconf
B. ~/.bashrc
C. ~/.bashdefaults
D. ~/.bash_etc
E. ~/.bash_profile
Correct Answer: BE
QUESTION 2
Which of the following keywords can be used in the file /etc/resolv.conf? (Choose TWO correct answers.)
A. substitute
B. nameserver
C. search
D. lookup
E. method
Correct Answer: BC
QUESTION 3
Which command is used to add OpenSSH private keys to a running ssh-agent instance? (Specify the file name only without any path.)
A. ssh-add
Correct Answer: A

QUESTION 4

Why should an NTP client maintain connections to several NTP servers?

A. To receive NTP information every second as each server transmits NTP pings every five seconds only.



- B. To improve the precision of the time by comparing responses from several servers.
- C. To not overload the remote server in case the local NTP time cache is not enabled.
- D. To not lose contact with all NTP servers in case the client changes networks.

Correct Answer: B

QUESTION 5

What is the purpose of the dig command?

- A. It can be used as a tool for querying DNS servers.
- B. It can be used for searching through indexed file content.
- C. It can be used to look for open ports on a system.
- D. It can be used to ping all known hosts on the current subnet.

Correct Answer: A

QUESTION 6

Which of the following may occur as a consequence of using the command ifconfig? (Choose THREE correct answers.)

- A. New name servers may be added to the resolver configuration.
- B. Network interfaces may become active or inactive.
- C. The routing table may change.
- D. IP addresses may change.
- E. The system\\'s host name may change.

Correct Answer: BCD

QUESTION 7

Which of the following IPv4 networks are reserved by IANA for private address assignment and private routing? (Choose THREE correct answers.)

- A. 127.0.0.0/8
- B. 10.0.0.0/8
- C. 169.255.0.0/16
- D. 172.16.0.0/12



E. 192.168.0.0/16

Correct Answer: BDE

QUESTION 8

Which command, depending on its options, can display the open network connections, the routing tables, as well as network interface statistics. (Specify ONLY the command without any path or parameters.)

A. netstat -or- /bin/netstat -or- ss -or- /usr/bin/ss

Correct Answer: A

QUESTION 9

Which of the following commands is used to rotate, compress, and mail system logs?

- A. rotatelog
- B. striplog
- C. syslogd --rotate
- D. logrotate
- E. logger

Correct Answer: D

QUESTION 10

Which of the following is a valid IPv6 address?

A. 2001:db8:3241::1

B. 2001::db8:4581::1

C. 2001:db8:0g41::1

D. 2001%db8%9990%%1

E. 2001.db8.819f..1

Correct Answer: A

QUESTION 11



What word will complete an if statement in bash such as the following: if [-x "\$file"]; then echo \$file	
(Please provide the missing word only)	
A. fi	
Correct Answer: A	

QUESTION 12

Which of the following is a correct entry in the /etc/hosts file?

A. localhost 127.0.0.1 localhost.localdomain localhost 127.0.0.1

B. localhost.localdomain

C. localhost localhost.localdomain 127.0.0.1

D. 127.0.0.1 localhost.localdomain localhost

127.0.0.1 localhost

E. localhost.localdomain

Correct Answer: D

QUESTION 13

Which of the following crontab entries will execute myscript at 30 minutes past every hour on Sundays?

A. 0 * * * 30 myscript

B. 30 * * * 6 myscript

C. 30 0 * * 0 myscript

D. 30 0-23 * * 0 myscript

E. 0 0-23 * * 30 myscript

Correct Answer: D

QUESTION 14

Where are user specific crontabs stored?

A. In the database file /etc/crontab.db which is shared by all users.

B. As individual per-user files within /var/spool/cron.



- C. As individual per-user files in /etc/cron.user.d.
- D. In the .crontab file in the user\\'s home directory.
- E. In the file /var/cron/user-crontab which is shared by all users.

Correct Answer: B

QUESTION 15

What is NTP?

- A. A more secure protocol replacement for FTP.
- B. A protocol for synchronizing time on computers.
- C. A routing aid for finding next hops on a network.
- D. A simple tunneling protocol for computers behind firewalls.

Correct Answer: B

Latest LX0-104 Dumps

LX0-104 PDF Dumps

LX0-104 Practice Test