

NS0-163^{Q&As}

NetApp Certified Data Administrator ONTAP Professional

Pass NetApp NS0-163 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.certbus.com/ns0-163.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1
Which two options must be configured to use tamperproof snapshots? (Choose two.)
A. SnapLock license
B. Multi-Admin Verification
C. SnapLock aggregate
D. Compliance clock
Correct Answer: AC
QUESTION 2
What console message is a good indication that the storage appliance is ready to reinstate the cluster from a previous takeover?
A. waiting for takeover
B. waiting for giveback
C. resume takeover
D. entercf giveback
Correct Answer: B
QUESTION 3
What is the default FabricPool tiering policy for a newly created volume?
A. auto
B. snapshot-only
C. none
D. all
Correct Answer: B

QUESTION 4

If you were troubleshooting and wanted to look at SnapMirror log files, what is the path and directory to these files?

A. root volume, /etc/snaplog/



B. ootvolume, /etc/log/snaplog/
C. root volume, /etc/log/
D. destination volume, /etc/log/
Correct Answer: C
QUESTION 5
Which one of the following commands would you use to rejoin the "mil" volume with the "mir(I)" volume?
A. vol mirror mir -v mir
B. volmirror mir -c mir(l)
C. vol mirror mil -v mir(l)
D. vol minor mil -n mir(l)
Correct Answer: C
QUESTION 6
Which two configurations ensure end users are able to restore previous versions of files? (Choose two.)
A. Enable FlexClone operations
B. Volume snapshot copy
C. Share previous versions enabled

QUESTION 7

Correct Answer: BC

D. SVM previous versions enabled

Which one of the following is not recommended as a secondary system for SnapVault?

- A. NearStore R200
- B. FAS900 series
- C. F700 series
- D. FS80
- Correct Answer: C

QUESTION 8

A. 1			
B. 2			
C. 4			
D. 6			
Correct Answer: B			

What is the maximum number of disk shelves per loop in a fabric-attached MetroCluster?

QUESTION 9

The required hardware to add SyncMirror to an existing Clustered Failover system consists of:

- A. Disk shelves and cluster interconnect
- B. Disk shelves, adapters and cabling
- C. Disk shelves and cabling
- D. Disk shelves and termination switches

Correct Answer: B

QUESTION 10

Which one of the following statements is true of storage appliance SnapVault backup?

- A. The volume is the basic unit of Snap Vault backup.
- B. The file is the basic unit for Snap Vault backup.
- C. The directory is the basic unit for Snap Vault backup.
- D. Theqtree is the basic unit for SnapVault backup.

Correct Answer: D

QUESTION 11

When you are setting up SnapMirror, which one of the following is not a replication pre-requisite?

- A. SnapMirror must be licensed for each storage appliance.
- B. The source volume must be offline.



C. If you are replicating a volume, you must create a restricted volume to be used as the Snap Mirror destination volume.

D. The capacity of the SnapMirror destination must be greater than or equal to the capacity of the source.

Correct Answer: B

QUESTION 12

Five minutes ago, you performed a single file SnapRestore on a large NFS file. 40% of your NFS users are now complaining about getting "stale file handles" for the file. Which one of the following is the most likely cause of this problem, and the best procedure to correct it?

- A. These users are on a different subnet from the others. Start troubleshooting by checking their subnet.
- B. After a single fileSnapRestore, NFS users have to reboot their systems. Have them reboot their systems.
- C. This might be due to an NFS storage appliance and client versionmis-match. Check to see that these users have the same version of the NFS client that existed at the time the snapshot was taken.
- D. NFS users who try to access a reverted file without first reopening it might get a "stale file handle" error message. Have the users try to reopen the file and see if the problem is resolved.

Correct Answer: D

QUESTION 13

Which one of the following keywords alone can be used to convert an asynchronous mirror to be synchornous?

- A. cksum
- B. src_con
- C. sync
- D. outstanding

Correct Answer: C

QUESTION 14

Which method should an administrator use to make sure all data in a local tier cannot be read if the underlying device repurposed, returned, misplaced, or stolen?

- A. SnapLock volumes
- B. Multi-admin authentication
- C. Self-encrypting drives
- D. SMB encryption



Correct Answer: C

QL	JES	TIO	Ν	15
----	-----	-----	---	----

Fill in the blanks for the following statement:

The qtree specified for_____must not exist on the secondary system before you run the____command.

A. sec_qtree_path. snapvault start

B. pri_qtree_path. snapvault start

C. sec_qtree_path. snapvault enable

D. pri_qtree_path. snapvault enable

Correct Answer: A

NS0-163 PDF Dumps

NS0-163 Practice Test

NS0-163 Braindumps