

# NS0-170<sup>Q&As</sup>

Network Appliance NetCache

## Pass NetApp NS0-170 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/ns0-170.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



#### QUESTION 1

Which one of the following ACLs will allow requests from the Engineering group to www.netapp.com?

- A. allow group "engineering"and server-name www.netapp.com
- B. allow groupname "engineering"and server-name matches ".netapp.com\$"
- C. allow groupname "engineering"and server-name www.netapp.com
- D. allow group "engineering"and server-domain www.netapp.com

Correct Answer: A

---

#### QUESTION 2

NetCache can validate authentication credentials to all of the following EXCEPT\_\_\_\_\_ .

- A. Local appliance database
- B. RADIUS server
- C. LDAPS server
- D. TACAS+ server

Correct Answer: D

---

#### QUESTION 3

The best place to find information regarding a log header, such as x-cs-headerlength, is the \_\_\_\_\_.

- A. Deployment Guide
- B. Guide to Messages and Logfile Entries
- C. Guide to Caching Protocols and Services
- D. Administration Guide

Correct Answer: B

---

#### QUESTION 4

Which one of the following items cannot be configured for NetCache authentication groups?

- A. group name
- B. protocol access permissions

- C. group password
- D. administrative rights

Correct Answer: C

---

#### QUESTION 5

The configure "Shared User Hosts" feature under the Appliance Manager's Setup > FTP > Caching Behavior is used to specify:\_\_\_\_\_ .

- A. FTP servers from which fetched objects will be cached and served without a user- specific key requirement in order to increase the caching efficiency
- B. a subset of FTP servers that will be accelerated by the NetCache appliance
- C. a subset of FTP servers that can be bound to a shared virtual IP address in order to increase overall caching efficiency
- D. a shared IP address that all requesting clients will use to circumvent any authentication or user-specific key requirements on the backend FTP servers

Correct Answer: A

---

#### QUESTION 6

A complete listing of Network Appliance support centers is available at \_\_\_\_\_.

- A. www.netapp.com
- B. ftp.netapp.com
- C. now.netapp.com
- D. NetCache online help

Correct Answer: C

---

#### QUESTION 7

Which one of the following access methods will maintain boot messages across reboots?

- A. SSH
- B. RSH
- C. Telnet
- D. Console

Correct Answer: D

---

#### QUESTION 8

The NetCache Appliance Manager's Maintenance > Software > Error Pages feature is used to \_\_\_\_\_ .

- A. replace the error responses generated by origin Web servers
- B. generate custom responses for NetCache configuration errors
- C. replace the error responses generated by the NetCache
- D. enable logging of HTTP errors

Correct Answer: C

---

#### QUESTION 9

When configuring a NetCache as a reverse proxy, you must \_\_\_\_\_ .

- A. write one or more acceleration rules
- B. reconfigure the client's browser
- C. write one or more ACLs
- D. have an acceleration license

Correct Answer: A

---

#### QUESTION 10

The console password can only be changed via \_\_\_\_\_ .

- A. floppy disk
- B. the console
- C. rsh
- D. the Appliance Manager

Correct Answer: B

---

#### QUESTION 11

Defective parts require a \_\_\_\_\_ prior to sending the item to Network Appliance.

- A. TMA
- B. Case number

C. RMA

D. BURT

Correct Answer: C

---

#### QUESTION 12

Disk ID is represented in x.y format, where x refers to the \_\_\_\_\_ and y refers to the \_\_\_\_\_.

A. disk ID number, host adaptor

B. parity disk, data disk

C. host adaptor, disk ID number

D. data disk, parity disk

Correct Answer: C

---

#### QUESTION 13

What syntax is used to get an extensive help definition for a particular command?

A. help [command]

B. ?

C. [command] help

D. command ?

Correct Answer: A

---

#### QUESTION 14

Which TWO of the following statements are equivalent?

A. set config.http.ports "8080" "8081"

B. set config.http.ports \\ 8080 \\

C. set config.http.ports // 8080 , 8081 \\

D. set config.http.ports "8080 , 8081"

Correct Answer: AB

---

#### QUESTION 15

The default NetCache HTTP administration port is \_\_\_\_ and is a \_\_\_\_ option?

- A. 3128, nonconfigurable
- B. 3132, configurable
- C. 3128, configurable
- D. 3132, nonconfigurable

Correct Answer: B

[Latest NS0-170 Dumps](#)

[NS0-170 VCE Dumps](#)

[NS0-170 Practice Test](#)