

# NS0-504<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

## Pass NetApp NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/ns0-504.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



#### QUESTION 1

Which statement is correct regarding virtual machine alignment on VMware ESX?

- A. Alignment issues can occur on any protocol including FCP, iSCSI, FCoE, and NFS.
- B. Windows RDM LUNs on NetApp suffer from alignment problems because they are accessed directly by VMs.
- C. A VMIS I UN with a LUN type of VMware, will always have properly aligned VMs.
- D. msinfo32 or mbrscan can be run for the ESX service console to check for proper alignment of VMs.

Correct Answer: A

---

#### QUESTION 2

Which command on a NetApp storage controller will display the average latency time on a per LUN basis every five seconds?

- A. sysstat -i 5
- B. sysstat -f 5
- C. fcp stats -i 5
- D. lun stats -i 5

Correct Answer: D

---

#### QUESTION 3

What are three true statements about physical reallocation of data added in ONTAP 7.3? (Choose three.)

- A. Use `reallocate -p pathname` to run the physical reallocate.
- B. Use `aggr reallocate -p pathname` to run the physical reallocate.
- C. Reinitialize any SnapMirror relationship for the new physical geometry.
- D. Volume Snapshots do not need to be deleted for the reallocate to run effectively.
- E. Dont run it on files, volumes, and LUNs that are in an aggregate created by a version of ONTAP earlier than 7.2.

Correct Answer: ADE

---

#### QUESTION 4

A Windows 2008 iSCSI initiator is NOT able to switch between different paths when a path becomes unavailable. What is a likely cause?

- A. An iSCSI path must have jumbo frames enabled to allow Multipathing.
- B. The iSCSI protocol does NOT allow switching between paths, although you can trunk oaths together.
- C. An iSCSI igroup does NOT have the initiator\\'s IQN.
- D. The Multipath I/O function is NOT installed.

Correct Answer: D

---

#### QUESTION 5

To configure a storage system as a member of a Windows active directory domain, the time on the storage system must be set to be within plus or minus five minutes of the time on the domain controller.

- A. True
- B. False

Correct Answer: A

---

#### QUESTION 6

To create a 64-bit aggregate, which optional switch/flag/parameter/option to the aggr create command must be included?

- A. b 64
- B. B 64
- C. I 64
- D. L 64
- E. No optional switch/flag/parameter/option is needed because 64-bit aggregates are the default

Correct Answer: B

---

#### QUESTION 7

A volume is SnapMirrored hourly. You revert the volume using a snapshot that was created two days ago. Which command continues the relationship?

- A. SnapMirror initialize
- B. SnapMirror quiesce
- C. SnapMirror resume
- D. SnapMirror resync

E. SnapMirror update

Correct Answer: D

---

#### QUESTION 8

What should an administrator do first before shutting down two nodes of a 4-node cluster?

- A. migrate node-management LIFs to a node that is staying up
- B. move Vserver root volumes to a node that is staying up
- C. reassign the master of all RDB rings to a node that is staying up
- D. set both nodes that are coming down to "ineligible"

Correct Answer: D

---

#### QUESTION 9

To automatically export volumes and directories on storage system reboot, include them in the `/etc/exports` file.

- A. True
- B. False

Correct Answer: A

---

#### QUESTION 10

Identify the two commands that could be entered on the SnapMirror destination storage system. (Choose two.)

- A. `snapmirror resync`
- B. `snapmirror release`
- C. `snapmirror initialize`
- D. `options snapmirror.access on`

Correct Answer: AC

---

#### QUESTION 11

What information do you NOT need to verify before ordering a NetApp storage solution?

- A. power sources and voltage available in Data Center
- B. A/C available in the Data Center

C. raised floor in Data Center

D. types of Ethernet switches for iSCSI traffic in Data Center

Correct Answer: C

---

#### QUESTION 12

A 100-GB thinly provisioned LUN is allocated to a Windows host. 100 GB of data is written into the LUN. The current capacity utilization on the disk array as well as the host is 100%. 50 GB of data is deleted from the LUN. Space reclaimer has NOT been run. What is the current capacity utilization on both the host and the disk array?

A. 50% on the host, 100% on the disk array

B. 100% on the host, 50% on the disk array

C. 50% on the host, 50% on the disk array

D. 100% on the host, 100% on the disk array

Correct Answer: A

---

#### QUESTION 13

An aggregate is composed of twelve 36-Gigabyte disks. A drive fails and only 72-Gigabyte spare disks are available. Data ONTAP will then perform what action.

A. Chooses a 72-Gigabyte disk and use it as is.

B. Chooses a 72-Gigabyte disk and right-size it.

C. Halts after 24 hour of running in degraded mode.

D. Alerts you that there are no 36-Gigabyte disks and wait for one to be inserted.

Correct Answer: B

---

#### QUESTION 14

Which set of protocols provide block-level access to NetApp storage?

A. SNA and RPC

B. iSCSI and FCP

C. HTTP and FTP

D. CIFS and NFS

Correct Answer: B

---

#### QUESTION 15

Which row of items should you look up in the IMT (Interoperability Matrix Tool) when designing a NetApp Storage Solution for a customer?

- A. Host OS and patches, FC WWPN, Volume Manager, File System version
- B. Host OS, iSCSI IQN, Volume Manager, Clustering
- C. Host OS and patches, HBA driver, Volume Manager, File System, Clustering
- D. Host OS, HBA driver, Host Memory and CPU Speed, File System, Clustering

Correct Answer: C

[NS0-504 Study Guide](#)

[NS0-504 Exam Questions](#)

[NS0-504 Braindumps](#)