

NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.certbus.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

While reviewing logs, an administrator discovers that an incoming email was processed using policy IDs 0:4:9.

Which two scenarios will generate this policy ID? (Choose two.)

- A. Email was processed using IP policy ID 4
- B. Incoming recipient policy ID 9 has the exclusive flag set
- C. FortiMail applies the default behavior for relaying inbound email
- D. FortiMail configuration is missing an access delivery rule

Correct Answer: CD

QUESTION 2

Refer to the exhibit.

Sender Reputation	Authentication Reputation	Endpoint Reputation
Records per page: 50		
IP	Score	
10.0.1.254	15	

Which configuration change must you make to block an offending IP address temporarily?

- A. Add the offending IP address to the system block list
- B. Add the offending IP address to the user block list
- C. Add the offending IP address to the domain block list
- D. Change the authentication reputation setting status to Enable

Correct Answer: D

Reference: <https://help.fortinet.com/fweb/550/Content/FortiWeb/fortiweb-admin/blacklisting.htm>

QUESTION 3

Refer to the exhibit.

```
C:\>nslookup -type=mx example.com
Server: PriNS
Address: 10.200.3.254

Non-authoritative answer:
example.com      MX preference = 10, mail exchanger = mx.hosted.com
example.com      MX preference = 20, mail exchanger = mx.example.com
```

Which two statements about the MTAs of the domain example.com are true? (Choose two.)

- A. The external MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- B. The PriNS server should receive all email for the example.com domain
- C. The primary MTA for the example.com domain is mx.hosted.com
- D. The higher preference value is used to load balance more email to the mx.example.com MTA

Correct Answer: AC

QUESTION 4

An administrator sees that an excessive amount of storage space on a FortiMail device is being used up by quarantine accounts for invalid users. The FortiMail is operating in transparent mode.

Which two FortiMail features can the administrator configure to tackle this issue? (Choose two.)


- A. Automatic removal of quarantine accounts
- B. Recipient address verification
- C. Bounce address tag verification
- D. Sender address rate control

Correct Answer: AD

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf (322, 323)

QUESTION 5

Refer to the exhibit.



IP Policy											
Enabled	ID	Source	Destinati...	Session	AntiSpam	AntiVirus	Content	DLP	IP Pool	Authentication	Exclu...
<input checked="" type="checkbox"/>	1	0.0.0.0/0	0.0.0.0/0	Example Session							<input checked="" type="checkbox"/>

An administrator has enabled the sender reputation feature in the Example_Session profile on FML-1. After a few hours, the deferred queue on the mail server starts filling up with undeliverable email. What two changes must the administrator make to fix this issue? (Choose two.)

- A. Apply a session profile with sender reputation disabled on a separate IP policy for outbound sessions
- B. Clear the sender reputation database using the CLI
- C. Create an outbound recipient policy to bypass outbound email from session profile inspections
- D. Disable the exclusive flag in IP policy ID 1

Correct Answer: AD

[Latest NSE6_FML-6.2 Dumps](#)

[NSE6_FML-6.2 Exam Questions](#)

[NSE6_FML-6.2 Braindumps](#)