

PAM-CDE-RECERT^{Q&As}

CyberArk CDE Recertification

Pass CyberArk PAM-CDE-RECERT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/pam-cde-recert.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CyberArk Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The vault supports Subnet Based Access Control.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 2

The vault supports Role Based Access Control.

- A. TRUE
- B. FALSE

Correct Answer: B

Reference <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Object-Level-Access-Control.htm>

QUESTION 3

tsparm.ini is the main configuration file for the Vault.

- A. True
- B. False

Correct Answer: B

QUESTION 4

One can create exceptions to the Master Policy based on _____.

- A. Safes
- B. Platforms
- C. Policies
- D. Accounts

Correct Answer: D

QUESTION 5

Can the \\Connect\\ button be used to initiate an SSH connection, as root, to a Unix system when SSH access for root is denied?

- A. Yes, when using the connect button, CyberArk uses the PMTerminal.exe process which bypasses the root SSH restriction.
- B. Yes, only if a logon account is associated with the root account and the user connects through the PSM-SSH connection component.
- C. Yes, if a logon account is associated with the root account.
- D. No, it is not possible.

Correct Answer: B

QUESTION 6

You want to generate a license capacity report.

Which tool accomplishes this?

- A. Password Vault Web Access
- B. PrivateArk Client
- C. DiagnoseDB Report
- D. RestAPI

Correct Answer: B

Reference: <https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/11.1/en/Content/PASIMP/Reporting-License-Usage.htm>

QUESTION 7

Which CyberArk group does a user need to be part of to view recordings or live monitor sessions?

- A. Auditors
- B. Vault Admin
- C. DR Users
- D. Operators

Correct Answer: A

Reference: https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Monitoring-Privileged-Sessions.htm?TocPath=End%20User%7CMonitor%20Sessions%7CClassic%20Interface%7C_____1

QUESTION 8

Platform settings are applied to _____.

- A. The entire vault.
- B. Network Areas
- C. Safes
- D. Individual Accounts

Correct Answer: D

QUESTION 9

A logon account can be specified in the platform settings.

- A. True
- B. False

Correct Answer: A

QUESTION 10

What is the primary purpose of One Time Passwords?

- A. Reduced risk of credential theft
- B. More frequent password changes
- C. Non-repudiation (individual accountability)
- D. To force a collusion to commit fraud ensuring no single actor may use a password without authorization.

Correct Answer: A

QUESTION 11

DRAG DROP

Match each component to its respective Log File location.

Select and Place:

PTA System	Drag answer here
PSM for SSH (PSMP)	Drag answer here
Disaster Recovery	Drag answer here

- C:\Program Files (x86)\PrivateArk\Server\PADR
- /opt/tomcat/logs
- /var/opt/CARKpsmp/logs/

Correct Answer:

PTA System	C:\Program Files (x86)\PrivateArk\Server\PADR
PSM for SSH (PSMP)	/opt/tomcat/logs
Disaster Recovery	/var/opt/CARKpsmp/logs/

QUESTION 12

By default, members of which built-in groups will be able to view and configure Automatic Remediation and Session Analysis and Response in the PVWA?

- A. Vault Admins
- B. Security Admins
- C. Security Operators
- D. Auditors

Correct Answer: B

QUESTION 13

What is mandatory for a PVWA installation?

- A. A DNS entry for PVWA url must be created.
- B. A company signed TLS certificate must be imported into the server
- C. A vault Administrator user must be used to register the PVWA
- D. Data Execution Prevention must be disabled.

Correct Answer: C

QUESTION 14

DRAG DROP

Match each key to its recommended storage location.

Select and Place:

Recovery Private Key	Drag answer here
Recovery Public Key	Drag answer here
Server Key	Drag answer here
SSH Keys	Drag answer here
Store on the Vault Server Disk Drive	Store in a Physical Safe
Store in a Hardware Security Module	Store in the Vault

Correct Answer:

Recovery Private Key	Store on the Vault Server Disk Drive
Recovery Public Key	Store in a Hardware Security Module
Server Key	Store in a Physical Safe
SSH Keys	Store in the Vault

QUESTION 15

When Dual Control is enabled a user must first submit a request in the Password Vault Web Access (PVWA) and receive approval before being able to launch a secure connection via PSM for Windows (previously known as RDP Proxy).

A. True

B. False, a user can submit the request after the connection has already been initiated via the PSM for Windows

Correct Answer: B

[Latest PAM-CDE-RECERT Dumps](#)

[PAM-CDE-RECERT Practice Test](#)

[PAM-CDE-RECERT Exam Questions](#)