

PAM-DEF^{Q&As}

CyberArk Defender - PAM

Pass CyberArk PAM-DEF Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/pam-def.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CyberArk
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

In a rule using "Privileged Session Analysis and Response" in PTA, which session options are available to configure as responses to activities?

- A. Suspend, Terminate, None
- B. Suspend, Terminate, Lock Account
- C. Pause, Terminate, None
- D. Suspend, Terminate

Correct Answer: A

QUESTION 2

You are logging into CyberArk as the Master user to recover an orphaned safe. Which items are required to log in as Master?

- A. Master CD, Master Password, console access to the Vault server, Private Ark Client
- B. Operator CD, Master Password, console access to the PVWA server, PVWA access
- C. Operator CD, Master Password, console access to the Vault server, Recover.exe
- D. Master CD, Master Password, console access to the PVWA server, Recover.exe

Correct Answer: A

Reference: <https://cyberark-customers.force.com/s/article/How-to-log-in-as-the-Master-user>

QUESTION 3

The vault supports Subnet Based Access Control.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 4

PTA can automatically suspend sessions if suspicious activities are detected in a privileged session, but only if the session is made via the CyberArk PSM.

- A. True

B. False, the PTA can suspend sessions whether the session is made via the PSM or not

Correct Answer: B

QUESTION 5

DRAG DROP

Match each PTA alert category with the PTA sensors that collect the data for it.

Select and Place:

Answer Area

unmanaged privileged account	Drag answer here	Vault
anomalous access to multiple machines	Drag answer here	Logs, Vault, AWS (optional), Azure (optional)
suspicious activities detected in a privileged session	Drag answer here	Logs, Vault, AD (optional), AWS (optional), Azure (optional)
suspected credentials theft	Drag answer here	Network Sensor, PTA Windows Agent

Correct Answer:

Answer Area

unmanaged privileged account	Logs, Vault, AD (optional), AWS (optional), Azure (optional)	
anomalous access to multiple machines	Network Sensor, PTA Windows Agent	
suspicious activities detected in a privileged session	Vault	
suspected credentials theft	Logs, Vault, AWS (optional), Azure (optional)	

Reference: https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PTA/What-Does-PTA-Detect.htm?TocPath=End%20User%7CSecurity%20Events%7C_____4

QUESTION 6

A Vault administrator have associated a logon account to one of their Unix root accounts in the vault. When attempting to verify the root account's password the Central Policy Manager (CPM) will:

A. ignore the logon account and attempt to log in as root

B. prompt the end user with a dialog box asking for the login account to use

C. log in first with the logon account, then run the SU command to log in as root using the password in the Vault D. none of these

Correct Answer: B

QUESTION 7

A user is receiving the error message "ITATS006E Station is suspended for User jsmith" when attempting to sign into the Password Vault Web Access (PVWA). Which utility would a Vault administrator use to correct this problem?

A. createcredfile.exe

B. cavaultmanager.exe

C. PrivateArk

D. PVWA

Correct Answer: C

QUESTION 8

DRAG DROP

Match the built-in Vault User with the correct definition.

Select and Place:

Administrator

Auditor

Batch

Master

This user appears on the highest level of the User hierarchy and has all the possible permissions. As such, it can create and manage other Users on any level on the Users' hierarchy.

Drag answer here

This user appears at the top of the User hierarchy, enabling it to view all the Users and accounts in the Safes. The user can produce reports of Safe activities and User activities, which enables it to keep track of activity in the Safe and User requirements.

Drag answer here

This user is an internal user that cannot be logged onto and carries out internal tasks, such as automatically clearing expired user and Safe history.

Drag answer here

This user has all available Safe member authorizations except Authorize password requests. This user has complete system control, manages a full recovery when necessary and cannot be removed from any Safe.

Drag answer here

Correct Answer:

<p>This user appears on the highest level of the User hierarchy and has all the possible permissions. As such, it can create and manage other Users on any level on the Users' hierarchy.</p>	<p>Administrator</p>
<p>This user appears at the top of the User hierarchy, enabling it to view all the Users and accounts in the Safes. The user can produce reports of Safe activities and User activities, which enables it to keep track of activity in the Safe and User requirements.</p>	<p>Auditor</p>
<p>This user is an internal user that cannot be logged onto and carries out internal tasks, such as automatically clearing expired user and Safe history.</p>	<p>Batch</p>
<p>This user has all available Safe member authorizations except Authorize password requests. This user has complete system control, manages a full recovery when necessary and cannot be removed from any Safe.</p>	<p>Master</p>

Reference: https://docs.cyberark.com/Product-Doc/OnlineHelp/PAS/Latest/en/Content/PASIMP/Predefined-Users-and-Groups.htm?TocPath=Administration%7CUser%20Management%7C_____7

QUESTION 9

What do you need on the Vault to support LDAP over SSL?

- A. CA Certificate(s) used to sign the External Directory certificate
- B. RECPRV.key
- C. a private key for the external directory
- D. self-signed Certificate(s) for the Vault

Correct Answer: A

QUESTION 10

What is the purpose of the PrivateArk Server service?

- A. Executes password changes
- B. Maintains Vault metadata
- C. Makes Vault data accessible to components
- D. Sends email alerts from the Vault

Correct Answer: C

QUESTION 11

For an account attached to a platform that requires Dual Control based on a Master Policy exception, how would you configure a group of users to access a password without approval.

- A. Create an exception to the Master Policy to exclude the group from the workflow process.
- B. Edit the master policy rule and modify the advanced 'Access safe without approval' rule to include the group.
- C. On the safe in which the account is stored grant the group the 'Access safe without audit' authorization.
- D. On the safe in which the account is stored grant the group the 'Access safe without confirmation' authorization.

Correct Answer: D

QUESTION 12

When a group is granted the 'Authorize Account Requests' permission on a safe Dual Control requests must be

approved by

- A. Any one person from that group
- B. Every person from that group
- C. The number of persons specified by the Master Policy
- D. That access cannot be granted to groups

Correct Answer: C

QUESTION 13

In the screenshot displayed, you just configured the usage in CyberArk and want to update its password. What is the least intrusive way to accomplish this?

Required Properties:

Address:	webserver1.lab.local
File Path:	C:\inetpub\wwwroot\web.config
XML Element:	/configuration/appSettings/add[@key="PASSWORD"]
Connection Type:	Windows File Sharing ▼

Optional Properties:

<input type="checkbox"/> Port:	
<input checked="" type="checkbox"/> XML Attribute:	value
<input checked="" type="checkbox"/> Password Regex:	(.*)
<input type="checkbox"/> Backup Password File:	[Select] ▼
<input type="checkbox"/> Usage Display Name:	

Disable automatic management for this account

Reason: No Reason

- A. Use the "change" button on the usage\'s details page.
- B. Use the "change" button on the parent account\'s details page.
- C. Use the "sync" button on the usage\'s details page.
- D. Use the "reconcile" button on the parent account\'s details page.

Correct Answer: B

QUESTION 14

When are external vault users and groups synchronized by default?

- A. They are synchronized once every 24 hours between 1 AM and 5 AM.
- B. They are synchronized once every 24 hours between 7 PM and 12 AM.
- C. They are synchronized every 2 hours.
- D. They are not synchronized according to a specific schedule.

Correct Answer: A

QUESTION 15

When the CPM connects to a database, which interface is most commonly used?

- A. Kerberos
- B. ODBC
- C. VBScript
- D. Sybase

Correct Answer: B

[Latest PAM-DEF Dumps](#)

[PAM-DEF PDF Dumps](#)

[PAM-DEF Practice Test](#)