

QSSA2018^{Q&As}

Qlik Sense System Administrator Certification Exam

Pass QlikView QSSA2018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/qssa2018.html>


100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by QlikView
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1



Refer to the exhibit.

What is the result when the administrator selects the Start button for TASK-APP1 in the Task screen?

- A. A prompt will appear to create a trigger
- B. TASK-APP1 will start but eventually fail
- C. TASK-APP1 will run successfully
- D. TASK-APP1 will run continuously

Correct Answer: C

QUESTION 2

A system administrator needs to troubleshoot an issue reported with Qlik Sense. The administrator confirms the following: NO hardware issues exist NO other processes are affecting Qlik Sense NO other systems report any issues The network team reports optimal performance

The system administrator decides to check the task execution details and token allocations.

Which two tools should the system administrator use? (Choose two.)

- A. Log Monitor
- B. Sessions Monitor
- C. Operations Monitor

D. Reloads Monitor

E. License Monitor

Correct Answer: DE

QUESTION 3

A system administrator adds RIM B to a two-node environment using the central node as the proxy. The system administrator is using the default virtual proxy for the central node to access the hub.

The system administrator sets up a load balancing rule to have all apps served on both RIM A and RIM B. The system administrator performs the following steps:

1.

Disables the default load balancing rule, "ResourcesOnNonCentralNodes"

2.

Creates a new rule with the Resource filter "App_*" and checks Load balancing

3.

Sets the condition to ((node.name="RIM A" or node.name="RIM B"))

The rule is successfully verified. The system administrator has users log in to the hub and open apps to verify that they are opening on RIM B. However, after multiple users open the same app, there is still NO report of activity on RIM B.

What is causing this issue?

A. There is a rule overlapping the custom load balancing rule

B. The filter should be ((node.name="RIM A") and (node.name="RIM B"))

C. A network connection problem is occurring and the load balancing is NOT working

D. The RIM B Engine has NOT been added to the virtual proxy

Correct Answer: D

Reference: <https://community.qlik.com/t5/Qlik-Sense-Deployment-Management/Load-BalancingConsumer-Nodes/td-p/1525604>

QUESTION 4

A security audit revealed problems with the newly installed multi-node environment. The environment was deployed using the default settings for the central and rim nodes. All possible services have been added to the rim node.

The audit was based on the current IT security policy when states: All traffic between servers should be encrypted 256-bit encryption is required Traffic between client and server should be encrypted and trusted iOS devices must be

supported Password length must be at least eight characters and include at least one number and one special character

What should the system administrator deploy to meet these requirements?

- A. A reverse proxy in the DMZ
- B. A third-party trusted certificate
- C. A certificate with third-party VPN
- D. A web app firewall in the environment

Correct Answer: B

Reference: https://help.qlik.com/ru-RU/sense/February2019/Subsystems/PlanningQlikSenseDeployments/Content/Sense_Deployment/Server-Security.htm

QUESTION 5

A system administrator needs to complete the configuration of a Qlik Sense Enterprise environment. The customer solution that needs to access Qlik Sense resources is a JavaScript app which must be authenticated through single sign-on. The customer provides a public key to the system administrator. Qlik Sense is expecting an RSA signature with SHA256.

Which authentication method should the system administrator use?

- A. SAML
- B. JWT
- C. Header
- D. Ticket

Correct Answer: A

Reference: <https://help.qlik.com/en-US/sense/February2019/pdf/Manage%20Qlik%20Sense%20sites.pdf>

QUESTION 6

A user owns an app that was previously published and wants to delete the app in the hub. The user is NOT able to delete the app.

What could be causing this issue?

- A. The app is open and is being accessed by another user
- B. Published apps can only be deleted from the QMC
- C. The user needs to be assigned the RootAdmin role
- D. The user needs to be assigned the ContentAdmin role

Correct Answer: B

Reference: https://help.qlik.com/en-US/sense/November2019/Subsystems/Hub/Content/Sense_Hub/Apps/delete-app.htm

QUESTION 7

A business analyst creates and tests an app on Qlik Sense Desktop. The analyst sends the QVF file to a system administrator and requests the file to be imported into Qlik Sense Enterprise.

The system administrator imports the file, but the data reload fails. The administrator imports and opens the app in the Qlik Sense Desktop, then realizes that Section Access has been implemented.

What is causing this issue with the reload on the server?

- A. The system administrator did NOT import the data connection and apply Section Access
- B. The sa_scheduler entry is missing in the Section Access table
- C. The Qlik Sense service account is missing in the Section Access table
- D. The Content Admin role was NOT assigned to the business analyst

Correct Answer: B

Reference: <https://support.qlik.com/articles/000079589>

QUESTION 8

A system administrator needs to grant an auto login access pass for directory (ABC) users. Which configuration will meet this requirement?

A.

BASIC
Resource filter: License.UserAccessGroup_9cbbe417-b590-442c-ba9a-aaa808938a4d
Actions: Allow access

#License.User.AccessGroup	name	=	
value	ABC		

ADVANCED
Conditions: `((resource.name="ABC"))`

B.

BASIC
Resource filter: License.UserAccessGroup_9cbbe417-b590-442c-ba9a-aaa808938a4d
Actions: Allow access

user	name	=	
value	ABC		

ADVANCED
Conditions: `((user.name="ABC"))`

C.

BASIC
Resource filter: License.UserAccessGroup_9cbbe417-b590-442c-ba9a-aaa808938a4d
Actions: Allow access

#License.User.AccessGroup	name	like	
value	userDirectory		

ADVANCED
Conditions: `((resource.name like user.userDirectory))`

D.

BASIC
Resource filter: License.UserAccessGroup_9cbbe417-b590-442c-ba9a-aaa808938a4d
Actions: Allow access

user	user Directory	like	
value	ABC		

ADVANCED
Conditions: `((user.userDirectory like "ABC"))`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

QUESTION 9

A system administrator needs to upgrade the environment to the latest version of Qlik Sense Enterprise and decides to create a backup.

Which three items should the administrator back up? (Choose three.)

- A. Qlik Sense certificates
- B. Qlik Sense Repository Database
- C. Qlik Sense ProgramData files
- D. Shared persistence file share
- E. Qlik Sense apps

Correct Answer: ABD

QUESTION 10

A system administrator has a Qlik Sense environment with a central node and a scheduler node. One of the apps loads data from text files, which are located in the FinanceData folder on the D: drive on the central node.

The system administrator creates a folder data connection and sets Name = Finance Data and Path = D: \FinanceData.

When the reload task runs for the first time, it fails.

What is the cause of the error?

- A. The network share is NOT configured yet
- B. Resources are limited in the current scheduler node
- C. Port 4747 was NOT opened on the central node
- D. Access permissions to the FinanceData folder are NOT granted to users

Correct Answer: D

[QSSA2018 VCE Dumps](#)

[QSSA2018 Study Guide](#)

[QSSA2018 Braindumps](#)