

# SC-400<sup>Q&As</sup>

Microsoft Information Protection Administrator

## Pass Microsoft SC-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/sc-400.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You have a Microsoft 365 E5 subscription that contains a data loss prevention (DLP) policy named DLP1.

DLP1 has a rule that triggers numerous alerts.

You need to reduce the number of alert notifications that are generated. The solution must maintain the sensitivity of DLP1.

What should you do?

- A. Change the mode of DLP1 to Test without notifications.
- B. Modify the rule and increase the instance count.
- C. Modify the rule and configure an alert threshold.
- D. Modify the rule and set the priority to the highest value.

Correct Answer: C

Reference: <https://learn.microsoft.com/en-us/microsoft-365/compliance/alert-policies?view=o365-worldwide>


**QUESTION 2**

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Role	Role group
Admin1	Global Administrator	None
Admin2	None	Compliance Administrator
Admin3	None	Records management

You create the retention label shown in the following exhibit.

## Create retention label



**Review and finish**

**Name**  
Name  
Retention1  
[Edit](#)

**File plan descriptors**

**Retention settings**  
Retention period  
7 years  
[Edit](#)

**Based on**  
Based on when it was created  
[Edit](#)

**Retention action**  
Preserve, review and delete  
[Edit](#)

**Disposition stages and reviewers**  
Stage 1 name: Stage1  
Stage 1 reviewers:  
Admin1@LODSe270626.onmicrosoft.com,  
Admin2@LODSe270626.onmicrosoft.com,  
Admin3@LODSe270626.onmicrosoft.com  
[Edit](#)

**Use label to classify content as a**  
Record  
[Edit](#)

Which users can perform a disposition review of content that has Retention1 applied?

- A. Admin2 only
- B. Admin3 only
- C. Admin1 and Admin2 only
- D. Admin1 and Admin3 only
- E. Admin2 and Admin3 only
- F. Admin1, Admin2, and Admin3

Correct Answer: E

Permissions for disposition

\*

Admin3: To successfully access the Disposition tab in the Microsoft Purview compliance portal, users must have the Disposition Management role. From December 2020, this role is now included in the Records Management default role

group.

Note:

By default, a global admin isn't granted the Disposition Management role.

\*

Admin2

Compliance Administrator - Members can manage settings for device management, data loss prevention, reports, and preservation.

The RecordManagement role is included in default roles assigned to the Compliance Administrator role. Incorrect:

\*

Not Admin1

The disposition reviewers explicitly need the Disposition Management role. This is included in the Records Management rule group – but a Global Administrator for the tenant will not have this role by default!

Reference: <https://learn.microsoft.com/en-us/microsoft-365/compliance/disposition>

<https://alberthoitingh.com/2021/05/20/multi-stage-disposition-microsoft-365/>

<https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/permissions-in-the-security-and-compliance-center>

---

### QUESTION 3

#### HOTSPOT

You have a Microsoft 365 E5 subscription that contains two users named Admin1 and User1, a Microsoft SharePoint Online site named Site1, and a retention label named Retention1.

The role assignments for Site1 are shown in the following table.

Name	Role
Admin1	Owner
User1	Member

Site1 includes a file named File1. Retention1 has the following settings:

1.

Retain items for a specific period: Retention period: 7 years

2.

During the retention period: Mark items as a record

3.

At the end of the retention period: Delete items automatically

Retention1 is published to Site1.

User1 applies Retention1 to File1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

### Answer Area

Statements	Yes	No
User1 can rename File1.	<input type="radio"/>	<input type="radio"/>
Admin1 can modify the contents of File1.	<input type="radio"/>	<input type="radio"/>
User1 can remove Retention1 from File1.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

### Answer Area

Statements	Yes	No
User1 can rename File1.	<input checked="" type="radio"/>	<input type="radio"/>
Admin1 can modify the contents of File1.	<input type="radio"/>	<input checked="" type="radio"/>
User1 can remove Retention1 from File1.	<input type="radio"/>	<input checked="" type="radio"/>

### QUESTION 4

You have a Microsoft 365 subscription that contains a user named User1.

You need to assign User1 permissions to search Microsoft Office 365 audit logs.

What should you use?

- A. the Azure Active Directory admin center
- B. the Microsoft Purview compliance portal
- C. the Exchange admin center

D. the Microsoft 365 Defender portal

Correct Answer: C

---

#### QUESTION 5

You have a Microsoft 365 subscription.

You create and run a content search from the Microsoft Purview compliance portal.

You need to download the results of the content search.

What should you obtain first?

- A. a certificate
- B. a password
- C. an export key
- D. a pin

Correct Answer: C

Reference: <https://docs.microsoft.com/en-us/office365/securitycompliance/export-search-results>

---

#### QUESTION 6

You have a Microsoft 365 E5 subscription.

You create a role group named Role1.

You need to add a role to Role1 that will enable group members to view the metadata of records that were tagged for deletion automatically at the end of the records' retention period. The solution must use the principle of least privilege.

Which role should you add?

- A. Review
- B. View-Only Retention Management
- C. Retention Management
- D. Disposition Management
- E. Record Management

Correct Answer: B

<https://learn.microsoft.com/en-us/microsoft-365/security/office-365-security/scc-permissions?view=o365-worldwide>

---

### QUESTION 7

You have a Microsoft 365 tenant that uses the following sensitivity labels:

1.  
Confidential
2.  
Internal
3.  
External

The labels are published by using a label policy named Policy1.

Users report that Microsoft Office for the web apps do not display the Sensitivity button. The Sensitivity button appears in Microsoft 365 Apps that are installed locally.

You need to ensure that the users can apply sensitivity labels to content when they use Office for the web apps.

Solution: You modify the scope of the Confidential label.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

---

### QUESTION 8

At the end of a project, you upload project documents to a Microsoft SharePoint Online library that contains many files. The following is a sample of the project document file names:

1.  
aei\_AA989.docx
2.  
bci\_WS098.docx
3.  
cei\_DF112.docx
4.  
ebc\_QQ454.docx
- 5.

ecc\_BB565.docx

All documents that use this naming format must be labeled as Project Documents:

You need to create an auto-apply retention label policy.

What should you use to identify the files?

- A. A sensitive info type
- B. A retention label
- C. A trainable classifier

Correct Answer: A

---

#### QUESTION 9

You have a Microsoft 365 tenant that uses records management.

You use a retention label to mark legal files stored in a Microsoft SharePoint Online document library as regulatory records.

What can you do to the legal files?

- A. Rename the files.
- B. Edit the properties of the files.
- C. Change the retention label of the files.
- D. Copy the content of the files.

Correct Answer: D

Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/records-management?view=o365-worldwide>

---

#### QUESTION 10

##### HOTSPOT

You plan to create a custom trainable classifier based on an organizational from template.

You need to identify which role-based access control (RBAC) role is required to create the trainable classifier and where to store the seed content for the trainable classifier. The solution must use the principle of least privilege.

What should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



## Answer Area

RBAC role:

	▼
Compliance administrator	
Global administrator	
Security administrator	
Security operator	

Where to store the seed content:

	▼
An Azure Blob storage container	
A folder in Microsoft OneDrive	
A Microsoft Exchange Online public folder	
A Microsoft SharePoint Online folder	

Correct Answer:

## Answer Area

RBAC role:

	▼
Compliance administrator	
Global administrator	
Security administrator	
Security operator	

Where to store the seed content:

	▼
An Azure Blob storage container	
A folder in Microsoft OneDrive	
A Microsoft Exchange Online public folder	
A Microsoft SharePoint Online folder	

Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/classifier-get-started-with?view=o365-worldwide#prepare-for-a-custom-trainable-classifier>

### QUESTION 11

You have a Microsoft SharePoint Online site that contains employee contracts in a document library named Contracts.

The contracts must be treated as records in accordance with your company's records management policy.

You need to implement a solution to automatically mark all the contracts as records when they are uploaded to Contracts.

Which two actions should you perform? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

- A. Create a sensitivity label.
- B. Create a retention label.
- C. Configure a default label on the Contracts document library.
- D. Create a retention policy.
- E. Create a SharePoint Records Center.
- F. Create a retention lock.

Correct Answer: BC

Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/create-apply-retention-labels?view=o365-worldwide>

---

### QUESTION 12

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You implement Microsoft 365 Endpoint data loss prevention (Endpoint DLP).

You have computers that run Windows 10 and have Microsoft 365 Apps installed. The computers are joined to Azure Active Directory (Azure AD).

You need to ensure that Endpoint DLP policies can protect content on the computers.

Solution: You deploy the unified labeling client to the computers.

Does this meet the goal?

- A. Yes
- B. No

Correct Answer: B

Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/endpoint-dlp-getting-started?view=o365-worldwide>

---

**QUESTION 13**

HOTSPOT You have a Microsoft 365 E5 subscription. You have the alerts shown in the following exhibit

## Data loss prevention Remove from navigation

Overview Policies Alerts Endpoint DLP settings Activity explorer Customize columns

Export Refresh 2 items Customize columns

Filter Reset Filters

Time range: 2/9/2022-2/9/2022 User: Any Alert status: Any Alert severity: Any

Alert name	Severity ⓘ	Status
DLP policy match for document 'File2.docx' in SharePoint	Low	Resolved
DLP policy match for document 'File1.docx' in SharePoint	Low	Active

Hot Area:

**Answer Area**

The alert status for File1.docx can be changed to **[answer choice]**.

Dismissed only  
Investigating only  
Resolved only  
Investigating and Dismissed only  
**Investigating, Dismissed, and Resolved**

The alert status for File2.docx can be changed to **[answer choice]**.

Active only  
Investigating only  
Investigating and Dismissed  
**Active, Investigating, and Dismissed**

Correct Answer:

### Answer Area

The alert status for File1.docx can be changed to [answer choice].

A screenshot of a dropdown menu with the following options: Dismissed only, Investigating only, Resolved only, Investigating and Dismissed only, and Investigating, Dismissed, and Resolved. The last option is highlighted in green.

The alert status for File2.docx can be changed to [answer choice].

A screenshot of a dropdown menu with the following options: Active only, Investigating only, Investigating and Dismissed, and Active, Investigating, and Dismissed. The last option is highlighted in green.

### QUESTION 14

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1. Site1 contains a file named File1.

You have a retention policy named Retention1 that has the following settings:

Retention items for a specific period

-Retention period: 5 years

-

At the end of the retention period: Delete items automatically Retention1 is applied to Site1. You need to ensure that File1 is deleted automatically after seven years. The solution must NOT affect the retention of other files on Site1. What should you do first?

A.

Move File1 to a new folder and configure the access control list (ACL) entries for File1.

B.

Create a new retention policy.

C.

Create and publish a new retention label.

D.

Move File1 to a new folder and list the excluded locations for Retention1.

Correct Answer: C

If some items for Exchange, SharePoint, OneDrive, or Microsoft 365 Groups need different retention settings from the retention policy settings you've configured, create retention labels for these exceptions.

As part of your data governance strategy to retain what you need and delete what you don't, you might need to create a few retention labels for items that need exceptions to your retention policies.

Whereas retention policies automatically apply to all items at the container level (such as SharePoint sites, user mailboxes, and so on), retention labels apply to individual items, such as a SharePoint document or an email message.

Reference:

<https://learn.microsoft.com/en-us/microsoft-365/compliance/create-retention-policies> <https://learn.microsoft.com/en-us/microsoft-365/compliance/create-retention-labels-data-lifecycle-management>

---

## QUESTION 15

You have a data loss prevention (DLP) policy configured for endpoints as shown in the following exhibit.



## Create rule



+ Add exception ▾







### ^ Actions

Use actions to protect content when the conditions are met.

#### ^ Audit or restrict activities on Windows devices

##### Audit or restrict activities on Windows devices

When the activities below are detected on Windows devices for supported files containing sensitive info that matches this policy's conditions, you can choose to only audit the activity, block it entirely or block it but allow users to override the restriction. [Learn more](#)

- |  |   |              |
|--|---|--------------|
| <input checked="" type="checkbox"/> Upload to cloud services or access by unallowed browsers |    | Block ▾      |
| <input checked="" type="checkbox"/> Copy to clipboard  |    | Audit only ▾ |
| <input checked="" type="checkbox"/> Copy to a USB removable media                            |  | Audit only ▾ |
| <input checked="" type="checkbox"/> Copy to a network share                                  |  | Audit only ▾ |
| <input checked="" type="checkbox"/> Access by unallowed apps                                 |  | Audit only ▾ |
| <input checked="" type="checkbox"/> Print  |  | Audit only ▾ |

+ Add an action ▾


### ^ User notifications

Use notifications to inform your users and help educate them on the proper use of sensitive info.

On

Save

Cancel

 Need help?

Give feedback ▾

From a computer named Computer1, 3 user can sometimes upload files to cloud services and sometimes cannot. Other users experience the same issue.

What are two possible causes of the issue? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. The Access by unallowed apps action is set to Audit only.
- B. The computers are NOT onboarded to the Microsoft 365 compliance center.
- C. The Copy to clipboard action is set to Audit only.
- D. There are file path exclusions in the Microsoft 365 Endpoint data loss prevention (Endpoint DIP) settings.
- E. The unallowed browsers in the Microsoft 365 Endpoint data loss prevention (Endpoint DLP) settings are NOT configured.

Correct Answer: DE

[SC-400 PDF Dumps](#)

[SC-400 Study Guide](#)

[SC-400 Braindumps](#)