

# SCA\_SLES15<sup>Q&As</sup>

SUSE Certified Administrator in SUSE Linux Enterprise Server 15

# Pass SUSE SCA\_SLES15 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.certbus.com/sca\_sles15.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by SUSE Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





# **QUESTION 1**

Which of the following configuration files have a format that is compatible with the system logging facility in SUSE Linux Enterprise? (Choose two)

- A. /etc/syslog.conf
- B. /etc/syslog-ng
- C. /var/log/syslog-ng.conf
- D. /etc/rsyslog.conf
- E. /ar/log/kernel-log

Correct Answer: BD

### **QUESTION 2**

You\\'re setting up a SUES 15 server which will require very large data volumes and journaling capabilities. Which file system listed below would be the best choice for your data volumes?

A. VFAT

B. XFS

C. Ext2

- D. ReiserFS
- E. Ext3

Correct Answer: B

#### **QUESTION 3**

Which statements regarding subvolumes in a BtrFS filesystem are true (Choose two)

A. Every subvolume on a BtrFS filesystem must have the same quota if quotas are implemented.

B. Even though subvolumes in BtrFS appear to be subdirectories, subvolumes can be mounted separately. The -o sub=

C. Every subvolume on a BtrFS fiLesystem must have a name that begins with the "@" character.

D. Multiple virtual filesystems can be created inside the BtrFS filesystem.

Correct Answer: BD



### **QUESTION 4**

What does the term "action\* mean when referring to system logging in SUSE Linux Enterprise?

- A. An action defines where a log message ends up such as in a regular file or database table.
- B. An action is used to define the severity of a log message.
- C. An action is used to filter out desired log messages for processing.
- D. An action is a process that the issuing facility must go through before issuing the log message.

Correct Answer: D

# **QUESTION 5**

Which bash commands result in a valid arithmetic expansion? (Choose three)

A. TOTAL=\$((5.3+2.2))

- B. TOTAL=\$[8/2]
- C. TOTAL=\$[8.4/2.1]
- D. TOTAL=\$[2.1\*4]
- E. TOTAL=\$((5+2))
- F. ((TOTAL++))
- Correct Answer: AE

# **QUESTION 6**

After the Kernel has been loaded during the boot process, which component will handle hardware detection?

- A. udev
- B. devmgr
- C. initramfs
- D. hal
- E. devfsd

Correct Answer: A

# **QUESTION 7**

You are working at a terminal window of a server at the office, but you want to continue this work by remotely accessing



the terminal session from your home office. Which command will you need to use to accomplish this?

A. screen

B. bg

C. -tty-release

D. Ctrl-fa, r

E. bg -term disconnect

Correct Answer: C

# **QUESTION 8**

Which statements about using the -U option and the -F option when running the rpm command are true? (Choose two)

A. The -U option will install a package whether or not a previous version of the package is already installed.

B. The -F option will install a package whether or not a previous version of the package is already installed.

C. The -U option remove all binaries, scripts, links, and documentation files associated with the RPM in the RPM Database.

D. The -F option will verify (fix) a broken application based on the information in the RPM Database.

E. The -U option will remove all the binaries in the package from the file system and update the RPM Database.

F. The -F option will install a package only if a previous version of the package is already installed.

Correct Answer: DE

# **QUESTION 9**

You have just added a new directory to be exported via NFS. what command should you run next to make that directory available?

- A. /usr/sbin/rpc.mountd -restart
- B. /bin/nfsd reload
- C. /etcyinit.d/nfsd -reload
- D. systemctl restart nfsserver.service
- E. systmd -reload nfsserver.target

Correct Answer: B

# **QUESTION 10**



# Which directory contains the initrd file?

- A. /loader/grub
- B. /startup/grub2
- C. /boot/grub2
- D. /loader
- E. /boot
- F. /startup

Correct Answer: C

# **QUESTION 11**

What are the basic components of RPM? (Choose two)

- A. RPM Compiler
- B. RPM Editor
- C. RPM Packager
- D. RPM Database
- E. RPM Package Manager
- Correct Answer: BD

# **QUESTION 12**

You want to restrict access to your server via SSH to just a few specific users. What will you need to do to accomplish this?

- A. Modify the Authorized option in the /etc/ssh/sshd\_config file.
- B. Modify the Permitted option in the ~/.ssh/sshd\_config file
- C. Modify the Permitted option is the Assh/sshd\_configfile.
- D. Modify the AllowUsers option in the /etc/ssh/sshd\_config file.
- E. Modify the Authorized option in the /var/ssh/config file.

Correct Answer: D

## **QUESTION 13**



- What is the command and options to remove repository number 4?
- A. yumrepo -del 4
- B. zypper rr 4
- C. libzypp --remove-repo 4
- D. yast repo-manag
- E. rpm -rr 4

Correct Answer: E

### **QUESTION 14**

Which file should be edited to make sure a file system is mounted each time a system boots?

- A. /mnt/fstab
- B. /etc/fstab
- C. /etc/sysconfig/fstab
- D. /etc/sysconfig/storage/fstab
- E. /var/Ub/fstab
- Correct Answer: C

# **QUESTION 15**

What does the following command allow you to do? alias endear"

- A. You can type clear to run the c command.
- B. You can type c to run the clear command.
- C. Nothing, since there is not a command named alias.
- D. It launches a second Login Shell and allows you to rename the clear command to just c.
- E. It allows you to rename the clear command to just c and then deletes the clear command.

Correct Answer: B

Latest SCA_SLES15	SCA_SLES15 Study Guide	SCA_SLES15 Exam
<u>Dumps</u>		Questions