

UIPATH-ADPV1^{Q&As}

UiPath Automation Developer Professional v1.0

Pass UiPath UIPATH-ADPV1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/uipath-adpv1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by UiPath
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The Extract PDF Page Range activity is used to extract a specific set of pages from a PDF file. Which of the following statements correctly describes this activity?

- A. OutputFileName argument is optional.
- B. Password-protected PDF files cannot be processed with this activity,
- C. PageCount argument outputs the number of extracted pages.
- D. Range argument accepts complex range values or "All".

Correct Answer: D

QUESTION 2

Consider testing a workflow that computes the sum of two numbers having the data driven test data from the Excel file below:

Number1	Number2	Sum
1	2	3
2	2	4
5	4	9

Expanding the functionality of the workflow to compute the sum of three numbers, the data needs to be updated as well to accommodate the new scenario:

Number1	Number2	Number3	Sum
1	2	2	5
2	2	3	7
5	4	1	10

What are steps to do that?

- A. Click Right on the Test Case and select Update Test Data.
- B. Click Right on the Test Case and select Add Test Data.
- C. Click Right on the Test Case and select Refresh Test Data.
- D. Click Right on the Test Case and select Remove Test Data.

Correct Answer: A

QUESTION 3

What is the default polling interval set for an event trigger?

- A. 1 minute
- B. 5 minutes
- C. 10 minutes
- D. 15 minutes

Correct Answer: B

QUESTION 4

Which of the following statements is true about the existing UiPath Studio installation packages?

- A. The Attended Robot installation package installs only the UiPath Robot.
- B. The Unattended Robot installation package installs only UiPath Studio, Assistant, and Robot.
- C. The Attended Robot installation package installs only UiPath Studio, and Robot.
- D. The Automation Developer installation package installs only UiPath Studio, Assistant, and Robot.

Correct Answer: D

QUESTION 5

A developer intends to incorporate a Flow Switch activity within a Flowchart. What is a characteristic of this activity?

- A. The Flow Switch activity is designed solely for usage in sequence workflows.
- B. Two default cases can be assigned in the Default section.
- C. The default TypeArgument property for the Flow Switch activity is set to Int32.
- D. Default cases can be numbered.

Correct Answer: C

QUESTION 6

What is the role of server-side event triggers in UiPath Integration Service?

- A. To start UiPath processes only when users interact with specific UI elements.
- B. To manage API connections and authorize usage across different security protocols.

- C. To notify users when a new connector is available in the UiPath Integration Service catalog.
- D. To start UiPath processes by configuring events such as data updates, insertions or deletions in other systems.

Correct Answer: D

QUESTION 7

When developing a new project using REFramework, logging in to multiple applications is required. What is the recommended location to accomplish this task?

- A. InitAllApplications.xaml
- B. InitAllSettings.xaml
- C. Process.xaml
- D. FirstRun.xaml

Correct Answer: A

QUESTION 8

Which command in the UiPath installation folder configures the UiPath.RemoteDebugging.Agent utility on a Windows robot to accept remote debugging requests from Studio?

- A. `UiPath.RemoteDebugging.Agent.exe start --port --password --verbose`
- B. `UiPath.RemoteDebugging.Agent.exe enable --port --password --verbose`
- C. `UiPath.RemoteDebugging.Agent.exe enable --port --username --password --verbose`
- D. `dotnet ./UiPath.RemoteDebugging.Agent.dll enable --port --password --verbose`

Correct Answer: B

QUESTION 9

Following UiPath best practices, which project structure is best-suited for complex processes in UiPath Studio?

- A. Sequence
- B. Flowchart
- C. Global Exception Handler
- D. State Machine

Correct Answer: D

QUESTION 10

A developer has created a variable of type String called "MyNumbers" and assigned to it the following value: "1, 2, 3, 4, 5, 6". What is the resulting data type for the expression `MyNumbers.Split(",","c")(1)`?

- A. Array of String
- B. String
- C. Double
- D. Int32

Correct Answer: B

QUESTION 11

What role do Triggers play in the UiPath Integration Service?

- A. Provide a mechanism for subscribing to specific events from third-party applications, automatically starting processes in Orchestrator.
- B. Assist in the creation of automation projects by providing event-based activities.
- C. Manage connections between UiPath Studio and third-party applications.
- D. Provide a mechanism for starting processes on a scheduled basis from Orchestrator.

Correct Answer: A

QUESTION 12

Which of the following is an outcome of converting a personal workspace into a folder in UiPath Orchestrator?

- A. The owner of the initial workspace and the admin user are added by default to the newly created folder and assigned the Personal Workspace Administrator role.
- B. The owner of the initial workspace is added by default to the newly created folder and assigned the Folder Administrator role.
- C. The owner of the initial workspace loses access to the newly created folder and the existing admin users are added by default.
- D. The admin user is added by default to the newly created folder with the User Administrator role.

Correct Answer: A

QUESTION 13

The following table is stored in a variable called "dt".

	A	B	C
1	No.	Item	Quantity
2		1 apple	10
3		2 orange	20
4		3 mango	5
5		4 kiwi	80
6		5 pear	1

What will the value of the qty variable be after executing the Assign activity?

The screenshot shows an 'Assign' activity in a workflow. The variable 'qty' is being assigned the value of 'dt.AsEnumerable'. Below it, the 'Expression Editor' window is open, showing the following expression:

```
1 dt.AsEnumerable.  
2 SkipWhile(Function(x) x("Item").ToString.Equals("mango"))(0)("Quantity").ToString
```

- A. 5
- B. 10
- C. 80
- D. null

Correct Answer: B

QUESTION 14

Considering that the attached data table is stored in a variable called "dt":

	A	B	C
1	No.	Item	Quantity
2	1	apple	10
3	2	orange	20
4	3	mango	5
5	4	kiwi	80
6	5	pear	1

Which of the following expressions will throw an exception during execution?

- A. `dt.AsEnumerable.Where(Function(x)x("Item").ToString.Equals("strawberry"))`
- B. `dt.AsEnumerable.Any(Function(x)x("Item").ToString.Equals("strawberry"))`
- C. `dt.AsEnumerable.FirstOrDefault(Function(x)x("Item").ToString.Equals("strawberry"))`
- D. `dt.AsEnumerable.First(Function(x)x("Item").ToString.Equals("strawberry"))`

Correct Answer: D

QUESTION 15

Why is it necessary to add the UiPath virtual channel to the allow list policy for Citrix Virtual Apps and Desktops 7 2109?

- A. Because the UiPath Remote Runtime component should be enabled to access the Citrix workspace environment.
- B. Because custom virtual channels are blocked by default, preventing the UiPath Remote Runtime from functioning correctly.
- C. Because the network latency should be decreased and the performance of UiPath automation processes on Citrix should be improved.
- D. Because a secure connection should be created between the UiPath Remote Runtime and the Citrix receiver.

Correct Answer: B

[Latest UIPATH-ADPV1 Dumps](#)

[UIPATH-ADPV1 VCE Dumps](#)

[UIPATH-ADPV1 Braindumps](#)