

# UIPATH-ARDV1<sup>Q&As</sup>

UiPath Advanced RPA Developer v1.0 Exam (UiARD)

## Pass UiPath UIPATH-ARDV1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/uipath-ardv1.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by UiPath  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers




### QUESTION 1

A developer is building an automation which types text into the fields of a web page The Activity Project Settings for UI Automation Classic activities are set as follows:



The developer has configured the properties of a Type Into activity as follows:



What is the behavior of the Type Into activity when executing the workflow?

- A. The activity will use SendWindowMessages in Run mode and in Debug mode.
- B. The activity will use SendWindowMessages in Run mode and Default in Debug Mode.
- C. The activity will use Default in Run mode and in Debug mode.
- D. The activity will use Default in Run mode and SendWindowMessages in Debug mode.

Correct Answer: D

**QUESTION 2**

st.uipath.com/work-items web You want to automate a process on the <https://acme-test.uipath.com/work-items> web page. On this page, the following table is displayed:

Search Results						
Please find below your work items. They need to be completed in the order specified by your manager.						
Actions	WIID	Description	Type	Status	Date	
 	649871	Verify Account Position	WI1	Open	2018-11-30	
 	635853	Process Vendor Invoice	WI3	Open	2019-03-12	
 	580174	Generate Yearly Report for Vendor	WI4	Open	2019-03-15	
 	884652	Research Client Check Copy	WI2	Open	2018-03-10	
 	202471	Verify Account Position	WI1	Open	2019-11-14	
 	656171	Verify Account Position	WI1	Open	2019-08-05	
 	910891	Verify Account Position	WI1	Open	2017-03-13	
 	207652	Research Client Check Copy	WI2	Open	2019-01-23	
 	815321	Verify Account Position	WI1	Open	2018-01-28	
 	628122	Research Client Check Copy	WI2	Open	2017-07-16	

You observe that the selector of the element highlighted in red is:

What is a valid selector to get the 5-th element in the WIID column?

- A.
- B.
- C.
- D.

Correct Answer: B

### QUESTION 3

A developer wants to use an Anchor Base activity to search for a UI element by using another UI element as an anchor. What activity can be used to provide an anchor?

- A. Find Image
- B. Find Relative Element
- C. Element Exists
- D. Find Children

Correct Answer: A

Find Image would return a UI element that can be used as an anchor.

---

#### QUESTION 4

Which of the scraping methods can get you the hidden text in the element?

- A. All of the above
- B. Native
- C. OCR
- D. FullText

Correct Answer: D

---

#### QUESTION 5

Consider three GenericValue variables, var1 with the default value of "3 apples", var2 with the default value of "5 mangos", and the result, which is the output of an Assign Activity with the var1 + var2 expression. What is the value of the resulting variable

- A. Null
- B. "8 fruits"
- C. 8
- D. Error: "Input string was not in a correct format"
- E. "3 apples5 mangos"

Correct Answer: E

---

#### QUESTION 6

A developer uses a Key Press Trigger activity and a Click Trigger activity to monitor events in an application.

The two Trigger activities are within the same Trigger Scope activity.

Which approach ensures the workflow exits the Trigger Scope activity after any trigger is activated and the associated action is performed?

- A. Set "SchedulingMode=Concurrent" in the Trigger Scope activity properties
- B. Set "BlockEvent=False" in the properties for the two Trigger activities
- C. Set the Trigger Scope activity within a Parallel activity
- D. Set "SchedulingMode=OneTime" in the Trigger Scope activity properties

Correct Answer: C

Reference: <https://docs.uipath.com/studio/docs/trigger-based-attended-automation>

---

#### QUESTION 7

A developer has a project which includes a Global Exception Handler. Based on best practice, all exceptions should be caught and handled as defined by the business requirements. To ensure the defined exceptions do not reach the Global Exception Handler, which activity must be used?

- A. Retry Scope
- B. Throw
- C. Rethrow
- D. Try Catch

Correct Answer: D

Reference: <https://docs.uipath.com/studio/docs/global-exception-handler>

---

#### QUESTION 8

Which is considered to be one of the best practices regarding the process ?nalization?

- A. Leave the used applications open so that person can Inspect me result
- B. Leave the application In its initial state, so that we can execute the process again
- C. Restart the machine so that any potential problem can be fixed

Correct Answer: B

---

#### QUESTION 9

A developer has built a project consisting of two invoked processes, ProcessA and ProcessB in the Main.xaml file. ProcessB should be run in Picture-in-Picture (PiP) and its entry point should be "AttendedMain.xaml".

How should the Invoke Process activity properties be configured?

- A. Target Session = Picture in Picture Process Name = ProcessA Entry point = AttendedMain.xaml
- B. Target Session = Current Process Name = ProcessA Entry point = empty
- C. Target Session = Picture in Picture Process Name = ProcessB Entry point = AttendedMain.xaml
- D. Target Session = Picture in Picture Process Name = ProcessB Entry point = empty

Correct Answer: C

---

#### QUESTION 10

How can you retrieve the value stored in a Queue Item variable?

- A. Use the Deserialize Xml activity
- B. Use the Deserialize Json activity
- C. Use the SpecificContent property

Correct Answer: C

---

#### QUESTION 11

A developer wants to type text into an input field. The text will be formed by using a string and a hotkey, and the action must be executed in a window which is hidden or minimized. Which input method(s) can be applied individually to the Type Into activity?

- A. SimulateType only
- B. SendWindowMessages only
- C. Default and SimulateType
- D. SimulateType and SendWindowMessages

Correct Answer: B

---

#### QUESTION 12

A developer implemented a Dispatcher process using the Robotic Enterprise Framework to upload items to a queue.

According to the requirements from the Finance team, all items with Price>10000\$ should be processed starting 1st of July 2021 at 8 am, when Q3 starts.

For that, the developer uses an Add Queue Item activity inside an If. What is the correct setting for that activity?

- A. Set Postpone property to: 1 7 21 8:0
- B. Set Postpone property to: `DateTime.ParseExact("1 July 2021 08:00", "dd mmmm yyyy hh:mm", System.Globalization.CultureInfo.InvariantCulture)`
- C. Set Delay property to: `DateTime.ParseExact("1 July 2021 08:00", "dd mmmm yyyy hh:mm", System.Globalization.CultureInfo.InvariantCulture)`
- D. Set Postpone property to: 7 1 21 8:0

Correct Answer: D

To set date since when a transaction item should be processed, use Postpone property of Add Queue Item activity. This property can be filled in with relative dates such as `DateTime.Now.AddHours(2)`, `DateTime.Now.AddDays(10)` and

`DateTime.Now.Add(New System.TimeSpan(5, 0, 0, 0))`. Additionally, you can use the US notation to add an exact time, such as 12/10/2017 07:40:00. Automatically correcting this date is available. For example, if you write 8 9 2018 9:0, it is automatically transformed to 08/09/2018 09:00:00. In the United States, dates are traditionally written in the "month-day-year" order, so 7 1 21

8:0 will result in the item being postponed till 1st of July 2021, when 1 7 21 8:0 will postpone it to 7th of January 2021.

Using `DateTime.ParseExact("1 July 2021 08:00", "dd mmmm yyyy hh:mm", System.Globalization.CultureInfo.InvariantCulture)` will result in an error, as notation for month is capital MM, while mm represents minutes.

---

### QUESTION 13

A team of developers uses the TFS repository to store versions of a UiPath project. One of the developers wants to edit the project. What action ensures that no other developer changes the code in the meantime?

- A. Get Latest Version
- B. Undo Pending Changes
- C. Check Out for Edit
- D. Disable Entry Point

Correct Answer: C

Once a file is checked out from the TFS repository, it is no longer available for check out by other users with access permissions.

---


### QUESTION 14

A developer uses a GIT repository for version control of his project. Which of the following buttons ensures that the changes are applied to the local Git repository?

- A. Save changes
- B. Commit
- C. Commit and Push
- D. Commit and Save

Correct Answer: B

Commit button allows to commit the changes to the local Git repository. Commit and Push button allows to commit the changes and push them to the remote repository.



### QUESTION 15

Based on UiPath best practices, which project layout is recommended for processes with complex transitions in UiPath Studio?

- A. State Machine
- B. Global Exception Handler
- C. Flowchart
- D. Sequence

Correct Answer: C

[Latest UIPATH-ARDV1 Dumps](#)

[UIPATH-ARDV1 Practice Test](#)

[UIPATH-ARDV1 Exam Questions](#)