

# VCS-277<sup>Q&As</sup>

Administration of Veritas NetBackup 8.0 and NetBackup Appliances 3.0

## Pass Veritas VCS-277 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.certbus.com/vcs-277.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



#### QUESTION 1

A VMware policy has been configured to back up a Linux virtual machine.

Which condition must be met to ensure all data is flushed from memory to disk?

- A. SYMCquiesce utility must be installed
- B. exclude swap and paging files must be unchecked
- C. the virtual machine must be running RedHat Enterprise Linux
- D. VMware Tools services must be stopped

Correct Answer: A

---

#### QUESTION 2

In which scenario is Use Accelerator unavailable in a backup policy?

- A. for VMware virtual machines with a Linux guest OS
- B. for virtual machines hosted on a Hyper-V Host using WMI
- C. for a NetApp NDMP filer
- D. for an Exchange database availability group (DAG)

Correct Answer: C

---

#### QUESTION 3

Which parameter in NetBackup Management > Host Properties must be modified to change the logging level to 5 for client1.domain?

- A. Master Servers > [master\_server\_name] > Logging > Global logging level
- B. Clients > [client\_name] > Logging > Global logging level
- C. Master Servers > [master\_server\_name] > Logging > Enable robust logging
- D. Clients > [client\_name] > Logging > Enable robust logging

Correct Answer: B

---

#### QUESTION 4

In which two places can an administrator view the available space for a Media Server Deduplication Pool? (Select two.)

- A. Reports > Disk Reports > Images on Disk
- B. Device Monitor > Disk Pools
- C. Reports > Disk Reports > Disk Logs
- D. Devices > Disk Pools
- E. Reports > Disk Reports > Disk Pool Status

Correct Answer: DE

---

#### QUESTION 5

An administrator of a multi-site, multi-domain NetBackup environment wants to be able to provide redundancy for backups as well as protecting the NetBackup image database. All backups must have on-site and off-site disk copies as well as off-site tape copies and must be restorable at all times, even if a single NetBackup server/storage failure occurs.

Which NetBackup feature should the administrator use to implement the functionality?

- A. Replication Director
- B. Automated Image Replication
- C. Storage Lifecycle Policies
- D. Vault

Correct Answer: B

---

#### QUESTION 6

A NetBackup administrator configures a policy to perform file system backups of multiple client systems using the Allow multiple data streams feature. All other policy attributes are at default settings.

Which Master Server parameter must be configured to enable the backup jobs from a client to run concurrently?

- A. Target storage unit: Maximum concurrent jobs
- B. Global Attributes: Maximum jobs per client
- C. Client Attributes: Maximum data streams
- D. Target storage unit: Enable multiplexing

Correct Answer: B

---

#### QUESTION 7

Which file contains LiveUpdate server configuration?

- A. pd.conf
- B. bp.conf
- C. nblu.conf
- D. vm.conf

Correct Answer: C

---

#### QUESTION 8

Which NetBackup 8.0 command is used to report the potential free space of AdvancedDisk storage units?

- A. nbdevquery
- B. nbdevconfig
- C. nbemmcmd
- D. bpstinfo

Correct Answer: A

---

#### QUESTION 9

A tape library had the robot firmware upgraded and now the robot is reading the barcodes with additional characters.

How should an administrator enable NetBackup 8.0 to use the same characters as before the firmware upgrade occurred?

- A. update the Media ID Generation setting
- B. update Media settings
- C. update Device mappings
- D. update the Barcode Rules setting

Correct Answer: A

---

#### QUESTION 10

An administrator wishes to modify the Override default job priority option for on MS Windows type restore job before the restore job begins.

Where in the Microsoft Windows Backup, Archive, and Restore console can the administrator configure this option?

- A. after clicking the Restore button, in the Restore Marked files dialog box
- B. at the bottom of the options listed in File > NetBackup Client Properties > Network

- C. in the Backup, Archive, and Restore window, under the Restore Files tab
- D. within file > Specify Net Backup Machines and Policy type

Correct Answer: A

#### QUESTION 11

In which order should an administrator perform upgrades to a major release in a NetBackup environment?

- A. Master Server, OpsCenter Server, Media Server, Clients
- B. OpsCenter Server, Master Server, Media Server, Clients
- C. Master Server, Media Server, OpsCenter Server, Clients
- D. Master Server, Media Server, Clients, OpsCenter Server

Correct Answer: A

#### QUESTION 12

A NetBackup policy is configured to back up the following paths for a client: D:\stage E:\data E:\home F:\production Multistreaming is enabled for the backups, and multiplexing is set to 4. Backup streams are running slowly. Which step should the administrator consider to improve backup performance?

- A. increase the multiplexing level
- B. back up only one stream from each physical device on the client
- C. disable multistreaming
- D. increase the number of data buffers

Correct Answer: A

#### QUESTION 13

Refer to the exhibit.



An assigned backup tape contains four images, two of which are expired. A new backup is initiated. How does

NetBackup write the new image?

- A. it appends new images to the last file marker on the tape
- B. it writes new images to the space where the expired images once resided on the tape
- C. it overwrites the expired data on the tape with the new images
- D. it writes the new image to an alternate tape

Correct Answer: A

---

#### QUESTION 14

An administrator wants deduplication clients in a remote office to perform backups so that less data is sent over the wide area network (WAN).

Which action should the administrator perform to reduce the total amount of data sent over the WAN?

- A. set client attributes to Always use the media server
- B. set client attributes to Always use client-side deduplication
- C. set the deduplication disk pool to Limit I/O strtsinis
- D. enable deduplication stream handlers for the clients

Correct Answer: B

---

#### QUESTION 15

Which value under Storage Unit Properties reflects the total amount of space allocated to a basic disk storage unit?

- A. Usable size
- B. Capacity
- C. Raw size
- D. Available or Available space

Correct Answer: B

[Latest VCS-277 Dumps](#)

[VCS-277 PDF Dumps](#)

[VCS-277 Study Guide](#)